

EXERODONTA SMARAGDINA (ANURA: HYLIDAE)

IVÁN TRINIDAD AHUMADA-CARRILLO^{1*} & SALVADOR SIORDIA GALINDO²

¹Biodiversa A. C., Chapala, Jalisco, México; *Herp.mx* A.C., Villa de Álvarez, Colima, México

²Centro Universitario de Ciencias Biológicas y Agropecuarias, Carretera a Nogales Km. 15.5. Las Agujas, Nextipac, Zapopan, Jalisco, México.

*Correspondence: lepidus320@hotmail.com

Received: 2020-10-03. Accepted: 2021-04-27.

Editor: Ireri Suazo-Ortuño, México.

Mexico: Jalisco: Municipality of Zapopan: 2km NW of Hacienda Monticello (20.913573° N; 103.442107° W; WGS 84), 1500 m a.s.l. elev., 22 August 2017; Iván T. Ahumada-Carrillo and Salvador Siordia. Verified by Christoph I. Grünwald. A photo voucher of the individual of *Exerodonta smaragdina* was deposited in The University of Texas at Arlington Digital Collection (UTADC-9527). This record (Fig. 1) extends the distribution 92 km NE from 21 km WSW of Ameca (Duellman, 2001). The frog was found amongst rocks in an intermittent stream in a tropical deciduous forest-oak woodland ecotone.

LITERATURA CITADA

Duellman, W.E. 2001. The Hylid Frogs of Middle America. 2 Volumes. 2nd Edition. Ithaca. Contributions to Herpetology, Volume 18, Society for the Study of Amphibians and Reptiles. USA.



Figura 1. *Exerodonta smaragdina* (UTADC-9527). Municipio de Zapopan: 2km NW de Hacienda Monticello. Foto: Iván T. Ahumada-Carrillo.

Figure 1. *Exerodonta smaragdina* (UTADC-9527). Municipality of Zapopan: 2km NW of Hacienda Monticello. Photo: Iván T. Ahumada-Carrillo.

